



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program
 5 Randolph Street, Canton, MA 02021
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
 Governor

KARYN E. POLITO
 Lieutenant Governor

MARYLOU SUDDERS
 Secretary

MONICA BHAREL, MD, MPH
 Commissioner

Tel: 617-624-6000
www.mass.gov/dph

April 25, 2017

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth I.C.E. Facility
 400 Faunce Corner Road
 North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth I.C.E. Facility on March 30, 2017 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 5 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right)

No Violations Noted

Bathroom (Left)

No Violations Noted

Common Area

Lobby

No Violations Noted

Control

105 CMR 451.200*

Food Storage, Preparation and Service: Food storage not in compliance with 105 CMR 590.000, ice build-up in freezer

Garage Bathroom

No Violations Noted

Units

Unit A

Nurse's Office

No Violations Noted

Nurse's Bathroom

No Violations Noted

Inmate Bathroom Area

105 CMR 451.123

Maintenance: Wall tile missing under sink

Showers

105 CMR 451.123

Maintenance: Ceiling tiles water stained outside showers

105 CMR 451.123

Maintenance: Mold on ceiling tiles outside shower

Laundry

No Violations Noted

Classroom

No Violations Noted

Janitor's Closet

105 CMR 451.353*

Interior Maintenance: Wet mop stored in bucket

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

B Unit

Nurse's Office

105 CMR 451.110(A)*

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Bathroom

No Violations Noted

Shower

No Violations Noted

Laundry

No Violations Noted

Janitor's Closet

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

Observations and Recommendations

1. The inmate population was 117 at the time of inspection.
2. During the inspection, the Department found all toilet and shower stalls without any identification system. The Department recommended implementing a simple numbering system to all toilet and shower stalls to allow the Department and correctional staff to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."


This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Timothy Miley, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Thomas Turco, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, Lieutenant, EHSO
Christopher Michaud, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS
Jennifer Gaffney, Director, Policy Development and Compliance Unit



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program
 5 Randolph Street, Canton, MA 02021
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
 Governor

KARYN E. POLITO
 Lieutenant Governor

MARYLOU SUDDERS
 Secretary

MONICA BHAREL, MD, MPH
 Commissioner

Tel: 617-624-6000
www.mass.gov/dph

April 19, 2016

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth I.C.E. Facility
 400 Faunce Corner Road
 North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth I.C.E. Facility on March 29, 2016 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 3 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right)

No Violations Noted

Bathroom (Left)

105 CMR 451.123

Maintenance: Ceiling vent dusty

Common Area

Lobby

FC 3-304.12(A)

Preventing Contamination from Utensils: Service utensils handle stored below the food and container line, scoop stored in cereal

Control

No Violations Noted

Garage Bathroom

No Violations Noted

Units

Unit A

Nurse's Office

No Violations Noted

Nurse's Bathroom

No Violations Noted

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

Bathroom

105 CMR 451.123

Maintenance: Sink faucet loose at sink # 1 on left

Showers

105 CMR 451.123

Maintenance: Appearance of mold on ceiling outside shower # 3 on left

Laundry

No Violations Noted

Classroom

No Violations Noted

Janitor's Closet

105 CMR 451.353*

Interior Maintenance: Wet mop stored in bucket

B Unit

Sleeping Area

105 CMR 451.322*

Cell Size: Inadequate floor space in dorm room

Bathroom

No Violations Noted

Shower

No Violations Noted

Laundry

No Violations Noted

Medical Room

No Violations Noted

Janitor's Closet

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Observations and Recommendations

1. The inmate population was 72 at the time of inspection.
2. During the inspection, the Department recommended that all showers and cells be identified with a numbering system. This will assist the Department and correctional employees to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Timothy Miley, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, Lieutenant, EHSO
Wendy Henderson, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS
Jennifer Gaffney, Director, Policy Development and Compliance Unit



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program
 5 Randolph Street, Canton, MA 02021
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
 Governor

KARYN E. POLITO
 Lieutenant Governor

MARYLOU SUDDERS
 Secretary

MONICA BHAREL, MD, MPH
 Commissioner

Tel: 617-624-6000
 www.mass.gov/dph

November 21, 2016

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth I.C.E. Facility
 400 Faunce Corner Road
 North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth I.C.E. Facility on November 8, 2016 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 3 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right)

No Violations Noted

Bathroom (Left)

No Violations Noted

Common Area

Lobby

No Violations Noted

Control

105 CMR 451.200

Food Storage, Preparation and Service: Food storage not in compliance with 105 CMR 590.000, ice build-up in freezer

Garage Bathroom

No Violations Noted

Units

Unit A

Nurse's Office

No Violations Noted

Nurse's Bathroom

No Violations Noted

Bathroom

No Violations Noted

Showers

105 CMR 451.123

Maintenance: Drain flies observed

Laundry

No Violations Noted

Classroom

No Violations Noted

Janitor's Closet

105 CMR 451.353*

Interior Maintenance: Wet mop stored in bucket

Sleeping Area

105 CMR 451.322*

105 CMR 451.102

Cell Size: Inadequate floor space in dorm room

Pillows and Linens: Pillows missing in dorm room

B Unit

Nurse's Office

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Bathroom

No Violations Noted

Shower

No Violations Noted

Laundry

No Violations Noted

Janitor's Closet

No Violations Noted

Sleeping Area

105 CMR 451.322*

105 CMR 451.102

Cell Size: Inadequate floor space in dorm room

Pillows and Linens: Pillows missing in dorm room

Observations and Recommendations

1. The inmate population was 117 at the time of inspection.
2. During the inspection, the Department recommended that all showers and cells be identified with a numbering system. This will assist the Department and correctional employees to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/des and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."


This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Timothy Miley, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Thomas Turco, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, Lieutenant, EHSO
Christopher Michaud, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPSS
Jennifer Gaffney, Director, Policy Development and Compliance Unit



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program
 5 Randolph Street, Canton, MA 02021
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER
 Governor

KARYN E. POLITO
 Lieutenant Governor

MARYLOU SUDDERS
 Secretary

MONICA BHAREL, MD, MPH
 Commissioner

Tel: 617-624-6000
 www.mass.gov/dph

November 16, 2015

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth Women's Center
 400 Faunce Corner Road
 North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth Women's Center, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth Women's Center on October 20, 2015 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 9 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Interior

Visiting Area

No Violations Noted

Lobby

No Violations Noted

Control Room

No Violations Noted

Staff Breakroom

FC 4-204.112(A)*

Design and Construction, Functionality: No functioning thermometer in white refrigerator

Male Bathroom

No Violations Noted

Female Bathroom

No Violations Noted

Laundry

105 CMR 451.353*

Interior Maintenance: Ceiling vent dusty

Janitor's Closet

No Violations Noted

Food Service Area

Dining

105 CMR 451.353*

Interior Maintenance: Wall not maintained in good repair, paint peeling

Kitchen

FC 4-903.11(A)(2)*

Protection of Clean Items, Storing: Single-service items not protected from contamination, utensils left uncovered under serving line

Staff Bathroom

No Violations Noted

A Wing

Bathroom

105 CMR 451.123*

105 CMR 451.123

Maintenance: Mold on ceiling

Maintenance: Baseboard damaged in stall # 3

Bathroom Janitor's Closet

No Violations Noted

Showers

No Violations Noted

Day Room

No Violations Noted

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

B Wing

Bathroom

No Violations Noted

Bathroom Janitor's Closet

No Violations Noted

Showers

105 CMR 451.123

Maintenance: Two curtains missing

Day Room

No Violations Noted

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

C Wing

Bathroom

No Violations Noted

Bathroom Janitor's Closet

No Violations Noted

Shower

No Violations Noted

Day Room

No Violations Noted

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

D Wing

Bathroom

105 CMR 451.123

Maintenance: Mold on walls

Bathroom Janitor's Closet

No Violations Noted

Showers

No Violations Noted

Day Room

No Violations Noted

Cells

105 CMR 451.321*

Cell Size: Inadequate floor space in all cells

Observations and Recommendations

1. The inmate population was 73 at the time of inspection.
2. During the inspection, the Department recommended that all showers and cells be identified with a numbering system. This will assist the Department and correctional employees to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X – Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Jay Youmans, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, Lieutenant, EHSO
Wendy Henderson, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPS



The Commonwealth of Massachusetts

Executive Office of Health and Human Services

Department of Public Health

Bureau of Environmental Health

Community Sanitation Program

5 Randolph Street

Canton, MA 02021

Telephone: 781 828-8046

Facsimile: 781 828-7703

Nicholas.Gale@state.ma.us

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JOHN W. POLANOWICZ
SECRETARY

CHERYL BARTLETT
ACTING COMMISSIONER

June 5, 2013

Thomas M. Hodgson, Sheriff
Bristol County Jail, Ash Street Facility
400 Faunce Corner Road
Dartmouth, MA 02747

Re: Facility Inspection – Bristol County Jail, Ash Street Facility, New Bedford

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Bristol County Jail, Ash Street Facility on May 30, 2013 accompanied by Lieutenant Andrew Mitzan, Environmental Health and Safety Officer. Violations noted during the inspection are listed below:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

MAIN BUILDING

(4th Floor)

4 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 57

8 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged in cell # 115 and 125

12 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in all cells

16 Alley

105 CMR 451.350*

Structural Maintenance: Wall damaged in cell # 215

Plant 4

Bathroom

105 CMR 451.123*
105 CMR 451.123

Maintenance: Soap scum on walls in shower # 1 and 2
Maintenance: Ceiling damaged, paint peeling in shower area

Cells

105 CMR 451.350*
105 CMR 451.350
105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 4 and 5
Structural Maintenance: Wall damaged, paint peeling in cell # 3
Structural Maintenance: Ceiling damaged, paint peeling in cell # 1, 3, 5, and 10

(3rd Floor)

3 Alley

105 CMR 451.350
105 CMR 451.350
105 CMR 451.350
105 CMR 451.350

Structural Maintenance: Wall damaged, rusty wall in cell # 33, 37, 44, 45, and 46
Structural Maintenance: Wall damaged, paint peeling in cell # 34
Structural Maintenance: Ceiling damaged, paint peeling in cell # 34
Structural Maintenance: Floor damaged, paint peeling in cell # 48

7 Alley

105 CMR 451.350*
105 CMR 451.350

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling in cell # 100 and 109
Structural Maintenance: Ceiling damaged, paint peeling in cell # 97, 99, 105, 107, and 109-112
Structural Maintenance: Wall damaged in cell # 108

11 Alley

No Violations Noted

15 Alley

105 CMR 451.350
105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 205 and 209
Structural Maintenance: Wall damaged in cell # 203 and 206

Plant 3

Bathroom

105 CMR 451.123*
105 CMR 451.123*
105 CMR 451.123
105 CMR 451.123
105 CMR 451.123

Maintenance: Soap scum on walls in showers
Maintenance: Shower curtain missing in shower # 1
Maintenance: Floor damaged, paint peeling in shower area
Maintenance: Wall damaged, paint peeling in shower area
Maintenance: Ceiling damaged, paint peeling in shower area

Cells

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling, cell # 2, 4, 5, 6, 7, 8, and 10

(2nd Floor)

Health Services

Women's Bathroom

105 CMR 451.126

Hot Water: Hot water temperature recorded at 71⁰F

Nurse's Station

FC 4-602.12(B)
FC 4-903.11(A)(2)

Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty
Protection of Clean Items, Storing: Single-service items not protected from contamination, utensils left uncovered

Offices

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in all offices

Exam Room

No Violations Noted

14 Alley

105 CMR 451.350*

Structural Maintenance: Ceiling damaged, paint peeling in cell # 195 and 197

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling in cell # 196

105 CMR 451.350

Structural Maintenance: Wall damaged in cell # 195

10 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 144

6 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged in cell # 82

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling in cell # 85, 89, 90, 93, and 94

2 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged in cell # 28

105 CMR 451.350*

Structural Maintenance: Ceiling damaged in cell # 20, 27, and 28

105 CMR 451.350

Structural Maintenance: Ceiling damaged in cell # 17, 18, 29, and 32

(1st Floor)

1 Alley

105 CMR 451.103*

Mattresses: Mattress damaged in cell # 13

105 CMR 451.103

Mattresses: Mattress damaged in cell # 3, 5, 10, and 11

5 Alley

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 65 and 66

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling in cell # 76

9 Alley

Bathroom

105 CMR 451.123*

Maintenance: Soap scum on walls in shower # 1 and 2

Cells

105 CMR 451.350

Structural Maintenance: Ceiling damaged, paint peeling in cell # 135, 137, and 138

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling in cell # 136

Barbershop

No Violations Noted

13 Alley

Bathroom

105 CMR 451.123*

Maintenance: Wall damaged, paint peeling in shower area

105 CMR 451.123*

Maintenance: Soap scum on walls in shower # 1 and 2

105 CMR 451.123

Maintenance: Shower curtain missing in shower # 1

Cells

No Violations Noted

Slop Sink – Maintenance Closet

No Violations Noted

KITCHEN

FC 6-501.14

Maintenance and Operation; Cleaning: Ventilation Systems, exhaust vent dusty near kettles

FC 5-202.12(A)

Plumbing System, Design: Handwashing sink water temperature recorded at 141^oF

FC 6-403.11(B)

Location and Placement; Employee Accommodations: No locker room area designated for employees, personal belongings stored near food product

Cooler # 1

No Violations Noted

Mop Closet

FC 6-501.16

Maintenance and Operation; Cleaning: Wet mop stored in bucket

Dishwashing Machine Area

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, handwash sink out-of-order

FC 5-205.15(B)

Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, faucet leaking at 3-bay sink

FC 4-903.11(B)(1)

Protection of Clean Items, Storing: Food trays not stored in the inverted/self-draining position above sink

Kitchen Office

No Violations Noted

Dishwashing Machine Area

FC 4-501.112(A)(2)*

Maintenance and Operation, Equipment: Inadequate water temperature in the mechanical warewashing machine

FC 6-202.15(A)(3)*

Design, Construction, and Installation; Functionality: Outer door not weather and vermin tight

FC 6-201.11

Design, Construction and Installation: Floor not easily cleanable, floor damaged under warewashing machine

Dry Storage

FC 6-201.16(A)

Design, Construction, and Installation; Cleanability: Walls not easily cleanable, paint peeling

FC 6-201.16(A)

Design, Construction, and Installation; Cleanability: Ceiling not easily cleanable, paint peeling

FC 6-501.11

Maintenance and Operation; Repairing: Facility not in good repair, roof leaking

FC 3-304.12(A)

Preventing Contamination from Utensils: Cup stored inside cheese product

Dining Area

No Violations Noted

Freezer

No Violations Noted

Milk Cooler

FC 3-305.11(A)(2)*

Preventing Contamination from Premises: Food exposed to dust, fans in cooler dusty

DAY ROOM

105 CMR 451.331*

Radiators and Heating Pipes: Pipe insulation damaged

105 CMR 451.350

Structural Maintenance: Wall damaged, paint peeling

105 CMR 451.350 Structural Maintenance: Wall damaged, holes in wall
105 CMR 451.353 Interior Maintenance: Exposed wires

Bathrooms

105 CMR 451.140* Adequate Ventilation: Inadequate ventilation in common shower area
105 CMR 451.121(A)* Privacy: No privacy partition in between showers
105 CMR 451.119* Bathing Facilities: Inadequate shower to inmate ratio, 6 showers to 180 inmates
105 CMR 451.123* Maintenance: Wall damaged, paint peeling
105 CMR 451.123* Maintenance: Soap scum on walls in shower area
105 CMR 451.110(A)* Hygiene Supplies at Toilet and Handwash Sink: No soap at handwash sink in shower area
105 CMR 451.110(A)* Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink in shower area
105 CMR 451.123 Maintenance: Walls dirty

Mop Closet

105 CMR 451.350 Structural Maintenance: Wall damaged, paint peeling
105 CMR 451.353 Interior Maintenance: Exposed wires
105 CMR 451.350 Structural Maintenance: Ceiling damaged, paint peeling

LAUNDRY ROOM

105 CMR 451.350* Structural Maintenance: Roof leaking

ADMINISTRATION AREA

Intake

Inmate Bathroom

105 CMR 451.123* Maintenance: Wall damaged in inmate bathroom # 1

Female Bathroom

No Violations Noted

Holding Cells

105 CMR 451.350 Structural Maintenance: Wall damaged, paint peeling
105 CMR 451.353 Interior Maintenance: Air vent dusty in cell block area

Vehicle Trap

No Violations Noted

Staff Break Room with Lockers

No Violations Noted

Roll Call Area

No Violations Noted

Officer's Bathroom

No Violations Noted

Staff Break Room

Unable to Inspect – Meeting in Progress

Observations and Recommendations

1. The inmate population was 192 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please indicate next to each entry on the inspection report a plan of correction. Said plan of correction must be submitted within ten working days of receiving this report and should detail the specific steps that will be taken and the date of expected compliance. The plan of correction should be submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Community Sanitation Regulations" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".


This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Suzanne K. Condon, Associate Commissioner, Director, BEH
Steven Hughes, Director, CSP, BEH
John W. Polanowicz, Secretary, EOHHS
Luis S. Spencer, Commissioner, DOC
Steven Sousa, Superintendent
Andrew Mitzan, EHSO
Brenda Weis, Health Director, New Bedford Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Andrea J. Cabral, Secretary, EOPS



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
5 Randolph Street, Canton, MA 02021
Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS
Secretary
MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

June 12, 2015

Thomas M. Hodgson, Sheriff
Bristol County Jail, Ash Street Facility
400 Faunce Corner Road
Dartmouth, MA 02747

Re: Facility Inspection - Bristol County Jail, Ash Street Facility, New Bedford

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Bristol County Jail, Ash Street Facility on May 28, 2015 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 46 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(indicates conditions documented on previous inspection reports)*

MAIN BUILDING

(4th Floor)

4 Alley

No Violations Noted

8 Alley

Alley

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 115
105 CMR 451.353 Interior Maintenance: Wall left unfinished in cell # 127
105 CMR 451.350 Structural Maintenance: Floor damaged in cell # 127

12 Alley

105 CMR 451.353* Interior Maintenance: Wall paint peeling in cell # 165
105 CMR 451.353 Interior Maintenance: Wall paint peeling in cell # 176

16 Alley

105 CMR 451.353 Interior Maintenance: Wall paint peeling in cell # 219 and 220

Plant 4

Bathroom

105 CMR 451.123* Maintenance: Ceiling paint peeling in shower area
105 CMR 451.123* Maintenance: Floor paint peeling in shower area
105 CMR 451.123* Maintenance: Shower curtain missing in shower # 1

Cells

105 CMR 451.353 Interior Maintenance: Ceiling paint peeling in cell # 3 and 5

(3rd Floor)

3 Alley

105 CMR 451.350 Structural Maintenance: Wall damaged around toilet in cell # 33, 43, and 46
105 CMR 451.350 Structural Maintenance: Floor damaged around toilet in cell # 48
105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 46

7 Alley

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 99, 105, and 106
105 CMR 451.353 Interior Maintenance: Ceiling paint peeling in cell # 101 and 110
105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 100 and 108
105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 101 and 107

11 Alley

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 159

15 Alley

No Violations Noted

Plant 3

Bathroom

105 CMR 451.123 Maintenance: Soap scum on walls in shower # 1 and 2
105 CMR 451.123 Maintenance: Ceiling paint peeling outside showers

Cells

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 1, 2, 3, 4, and 10

(2nd Floor)

Health Services

Female Staff Bathroom

105 CMR 451.126 Hot Water: Hot water temperature recorded at 69⁰F

Copy Room

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling

Nurse's Station

No Violations Noted

Offices

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling

Exam Room

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling

14 Alley

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 192, 195, 196, and 200

105 CMR 451.353* Interior Maintenance: Wall paint peeling in cell # 200

105 CMR 451.353 Interior Maintenance: Wall paint peeling in cell # 195

10 Alley

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 149

6 Alley

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 82 and 92

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 85 and 86

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 85, 92, and 93

105 CMR 451.353 Interior Maintenance: Ceiling paint peeling in cell # 84, 90, and 94

2 Alley

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 19

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 20

105 CMR 451.350* Structural Maintenance: Ceiling damaged in cell # 17

(1st Floor)

1 Alley

105 CMR 451.353 Interior Maintenance: Wall paint peeling in cell # 9

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 6 and 7

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 4

5 Alley

105 CMR 451.353* Interior Maintenance: Wall paint peeling in cell # 73 and 75

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 65

105 CMR 451.353 Interior Maintenance: Ceiling paint peeling in cell # 73 and 75

9 Alley

Cells

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 136

105 CMR 451.350* Structural Maintenance: Ceiling damaged in cell # 136

Barbershop

No Violations Noted

13 Alley

Property

No Violations Noted

Male Staff Bathroom

No Violations Noted

Cells

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 184

Slop Sink – Maintenance Closet

No Violations Noted

KITCHEN

Cooler # 1

Unable to Inspect – No Access

Mop Closet

No Violations Noted

Dishwashing Machine Area

FC 6-201.11* Design, Construction and Installation: Floor not easily cleanable, floor damaged under warewashing machine

FC 6-202.15(A)(2) Design, Construction, and Installation; Functionality: Outer door not weather and vermin tight

Kitchen Office

Unable to Inspect – No Access

Dry Storage

FC 6-201.16(A)* Design, Construction, and Installation; Cleanability: Walls not easily cleanable, paint peeling

Dining Area

No Violations Noted

Freezer

Unable to Inspect – No Access

Milk Cooler

Unable to Inspect – No Access

DAY ROOM

105 CMR 451.353* Interior Maintenance: Wall paint peeling

105 CMR 451.350* Structural Maintenance: Wall damaged near television

105 CMR 451.353 Interior Maintenance: Pipe insulation damaged at entrance

Bathroom Unable to Fully Inspect – Showers in Use

105 CMR 451.121(A)* Privacy: No privacy partition in between showers

105 CMR 451.119* Bathing Facilities: Inadequate shower to inmate ratio, 6 showers to 193 inmates

Mop Closet

105 CMR 451.353* Interior Maintenance: Exposed wires

105 CMR 451.350 Structural Maintenance: Ceiling damaged

LAUNDRY ROOM

No Violations Noted

ADMINISTRATION AREA

Intake

Inmate Bathroom

105 CMR 451.123*

Maintenance: Wall damaged in inmate bathroom # 1

Female Bathroom

No Violations Noted

Holding Cells

No Violations Noted

Vehicle Trap

No Violations Noted

Staff Break Room with Lockers

No Violations Noted

Roll Call Area

No Violations Noted

Officer's Bathroom

No Violations Noted

Staff Break Room

FC 4-903.11(A)(2)*

Protection of Clean Items, Storing: Single-service items not protected from contamination, utensils left uncovered

FC 4-602.12(B)

Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty

Observations and Recommendations

1. The inmate population was 193 at the time of inspection.
2. At the time of inspection:
 - a. All inmates were showering in the Day Room. The only showers used within the main facility are inside the Plant blocks; and
 - b. The kitchen was not in use. The food is prepared and transferred from the Bristol County House of Correction.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X – Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".


To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,

Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Suzanne K. Condon, Associate Commissioner, Director, BEH
Steven Hughes, Director, CSP, BEH
Jay Youmans, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Steven Sousa, Superintendent
Lieutenant Andrew Mitzan, EHSO
Brenda Weis, PhD, MSPH, Health Director, New Bedford Health Department
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPS



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
Bureau of Environmental Health
Community Sanitation Program
5 Randolph Street, Canton, MA 02021
Phone: 781-828-7700 Fax: 781-828-7703

MARYLOU SUDDERS
Secretary
MONICA BHAREL, MD, MPH
Commissioner

Tel: 617-624-6000
www.mass.gov/dph

CHARLES D. BAKER
Governor

KARYN E. POLITO
Lieutenant Governor

January 12, 2016

Thomas M. Hodgson, Sheriff
Bristol County Jail, Ash Street Facility
400 Faunce Corner Road
Dartmouth, MA 02747

Re: Facility Inspection - Bristol County Jail, Ash Street Facility, New Bedford

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Minimum Requirements for the Management of Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; 105 CMR 520.000 Labeling; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Bristol County Jail, Ash Street Facility on December 23, 2015 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 26 repeat violations:

HEALTH AND SAFETY VIOLATIONS

(indicates conditions documented on previous inspection reports)*

MAIN BUILDING

(4th Floor)

4. Alley

No Violations Noted

Showers

showers

- 105 CMR 451.123 Maintenance: Soap scum on walls in shower
- 105 CMR 451.123 Maintenance: Shower curtain ripped
- 105 CMR 451.123 Maintenance: Floor paint peeling outside shower

8 Alley

No Violations Noted

Slop Sink

No Violations Noted

12 Alley

No Violations Noted

16 Alley

No Violations Noted

Plant 4

Bathroom

- 105 CMR 451.123* Maintenance: Ceiling paint peeling in shower area
- 105 CMR 451.123* Maintenance: Floor paint peeling in shower area
- 105 CMR 451.123* Maintenance: Shower curtain missing in shower # 1

Cells

No Violations Noted

(3rd Floor)

3 Alley

- 105 CMR 451.350* Structural Maintenance: Wall damaged around toilet in cell # 33, 43, and 46
- 105 CMR 451.350 Structural Maintenance: Wall damaged around toilet in cell # 45
- 105 CMR 451.350* Structural Maintenance: Floor damaged around toilet in cell # 48

7 Alley

- 105 CMR 451.353* Interior Maintenance: Ceiling paint peeling in cell # 106

Showers

- 105 CMR 451.123 Maintenance: Soap scum on walls in shower # 1 and 2
- 105 CMR 451.123 Maintenance: Curtain missing in shower # 1 and 2

11 Alley

No Violations Noted

15 Alley

- 105 CMR 451.350 Structural Maintenance: Wall damaged around toilet in cell # 208

Plant 3

Bathroom

- 105 CMR 451.123* Maintenance: Soap scum on walls in shower # 1 and 2
- 105 CMR 451.123* Maintenance: Ceiling paint peeling outside showers
- 105 CMR 451.123 Maintenance: Curtain missing in shower # 1
- 105 CMR 451.123 Maintenance: Debris in shower # 1

Cells

No Violations Noted

(2nd Floor)

Health Services

Female Staff Bathroom

No Violations Noted

Copy Room

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling

Nurse's Station

105 CMR 451.353 Interior Maintenance: Ceiling paint peeling

Offices

105 CMR 451.353* Interior Maintenance: Ceiling paint peeling

Exam Room

No Violations Noted

14 Alley

No Violations Noted

10 Alley

105 CMR 451.353 Interior Maintenance: Wall paint peeling in cell # 148 and 151

6 Alley

105 CMR 451.350* Structural Maintenance: Wall damaged around toilet in cell # 92

2 Alley

No Violations Noted

(1st Floor)

1 Alley

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 4, 6 and 7

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 3

105 CMR 451.350 Structural Maintenance: Ceiling damaged in cell # 11

5 Alley

105 CMR 451.350 Structural Maintenance: Wall damaged in cell # 73

9 Alley

Cells

105 CMR 451.350* Structural Maintenance: Wall damaged in cell # 136

105 CMR 451.350* Structural Maintenance: Ceiling damaged in cell # 136

105 CMR 451.350 Structural Maintenance: Ceiling damaged in cell # 137

Showers

105 CMR 451.123 Maintenance: Soap scum on walls in shower # 1 and 2

Barbershop

105 CMR 451.353 Interior Maintenance: Countertop surface damaged

13 Alley

Property

No Violations Noted

Male Staff Bathroom

105 CMR 451.123 Maintenance: Ceiling paint peeling

105 CMR 451.123 Maintenance: Sink leaking

Cells

No Violations Noted

Showers

105 CMR 451.123 Maintenance: Soap scum on walls in shower # 1 and 2

Slop Sink – Maintenance Closet

No Violations Noted

KITCHEN

Main Area

FC 4-903.11(A)(2) Protection of Clean Items, Storing: Single-service items not protected from contamination, utensils left uncovered near ovens

Cooler # 1

Unable to Inspect – No Access

Mop Closet

No Violations Noted

Kitchen Office

Unable to Inspect – No Access

3-Bay Sink

FC 5-205.15(B) Plumbing System, Operations and Maintenance: Plumbing system not maintained in good repair, sink leaking

Dishwashing Machine Area

FC 6-201.11* Design, Construction and Installation: Floor not easily cleanable, floor damaged under warewashing machine

FC 6-202.15(A)(2) Design, Construction, and Installation; Functionality: Outer door not weather and vermin tight

Dry Storage

FC 6-201.16(A)* Design, Construction, and Installation; Cleanability: Walls not easily cleanable, paint peeling

Dining Area

No Violations Noted

Freezer

Unable to Inspect – No Access

Milk Cooler

Unable to Inspect – No Access

DAY ROOM

105 CMR 451.353* Interior Maintenance: Wall paint peeling

105 CMR 451.353* Interior Maintenance: Pipe insulation damaged at entrance

105 CMR 451.353 Interior Maintenance: Floor paint peeling in several areas

Bathroom

105 CMR 451.121(A)* Privacy: No privacy partition in between showers

105 CMR 451.123 Maintenance: Floor surface damaged

105 CMR 451.123 Maintenance: Ceiling vent dusty

105 CMR 451.123 Maintenance: Soap scum on walls in shower
105 CMR 451.122 Shower Floors: Shower floors not constructed of non-slip material

Mop Closet

No Violations Noted

LAUNDRY ROOM

No Violations Noted

ADMINISTRATION AREA

Intake

Inmate Bathroom B-1

105 CMR 451.123* Maintenance: Wall damaged in inmate bathroom # 1

Inmate Bathroom B-2

No Violations Noted

Holding Cells

105 CMR 451.353 Interior Maintenance: Wall paint peeling in group cell # 1

Vehicle Trap

No Violations Noted

Staff Break Room with Lockers

No Violations Noted

Roll Call Area

No Violations Noted

Officer's Bathroom

No Violations Noted

Staff Break Room

FC 4-903.11(A)(2)* Protection of Clean Items, Storing: Single-service items not protected from contamination, utensils left uncovered

FC 4-601.11(A) Cleaning of Equipment and Utensils, Objective: Food contact surface dirty, interior of white coffee-maker dirty

Observations and Recommendations

1. The inmate population was 195 at the time of inspection.
2. At the time of inspection:
 - a. Inmates were showering in both the Day Room and on the tiers. The Department recommends all showers be cleaned daily and kept in good repair per 105 CMR 451.123; and
 - b. The kitchen was not in use. The food is prepared and transferred from the Bristol County House of Correction.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 500.000 - State Sanitary Code Chapter X

CLICK ON "FOOD PROTECTION REGULATIONS". THEN UNDER "RETAIL" CLICK "105 CMR 520.000 - State Sanitary Code Chapter A - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

To review the Labeling regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "General Food Regulations" click "105 CMR 520.000: Labeling."

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,

Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Jan Sullivan, Acting Director, BEH
Steven Hughes, Director, CSP, BEH
Jay Youmans, Director of Government Affairs
Marylou Sudders, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Steven Sousa, Superintendent
Lieutenant Andrew Mitzan, EHSO
Brenda Weis, PhD, MSPH, Health Director, New Bedford Health Department
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Daniel Bennett, Secretary, EOPS